

FOOD & BEVERAGE EQUIPMENTS
FINANCIAL BID
HEAVY/LIGHT EQUIPMENTS

Annexure "B"

| SL No | Item/Specification | QTY | Make | Brand/ Model | Rate (Rs) | Amount |
|--------------|--|------------|-------------|---------------------|------------------|---------------|
| 1 | <p>DISHWASHING MACHINES</p> <ul style="list-style-type: none"> • Electrical Connection-430F • 230V/20Hz/1 phase(13amp) • Boiler & the tank heating electrically interlocked • Control corresponds to the regulation of VDE • 300mm cabinet entry passinh height • Powerful upper & lower wash & rinse system • Wash chamber with tented ceiling • Eco-filtered sustem for improved wash & filtration • Single phase electrical connection • Proven quality for numerous certificates • Electronic programme selection with touch sensitive control panel • Double wall insulation for Sound & Heat • Buit in water softner • Hygiene friendly one piece deep drawn wash tank with basket guide rails • Capacity 600 plates/hour • Stainless Steel Finish, easy to clean • 3 way-doors simultaneously operate the entrance, exit & inspection doors. Perfectly counterbalanced for finger tip operation • Fully electronically controlled timing mechanism at the push of buttons • Machine size should be approximately 675mm * 675mm * 1550 mm high. • Electrical wiring should be of 440V/3PH/4 Wire system. • The pump should be of 1.5 Hp. • The tank should have a built-in booster of 9 KW heating. • It should be hard water compatible & should have LED indicators for salt. • It should have feature like Rat & Rodent Protection. • It should have different washing programmes. • It should have adjustable trays to keep plates. | 2 | | | | |
| 2 | <p>GLASS WASHING/CLEANING MACHINE</p> <p>Capacity 400 glass/hour</p> <ul style="list-style-type: none"> • Stainless Steel Finish, easy to clean • Fully electronically controlled timing mechanism at the push of buttons • Machine size should be | 2 | | | | |

Signature of Tenderer with Seal

| | | | | | | |
|---|---|---|--|--|--|--|
| | <p>approximately 675mm * 675mm * 1550 mm high.</p> <ul style="list-style-type: none"> • Electrical wiring should be of 440V/3PH/4 Wire system. • The pump should be of 1.5 Hp. • It should be hard water compatible & should have LED indicators for salt. • It should have feature like Rat & Rodent Protection. • It should have different washing programmes. • It should have adjustable trays to keep plates. • Stainless steel washing section • Working direction: Left to right or Right to left • Wash chamber with tented ceiling • Eco-friendly system for improved wash & filtration • Built-in water softner. | | | | | |
| 3 | <p>ICE-CUBE MAKING MACHINE</p> <ul style="list-style-type: none"> • Ice Maker, Cube Style, and air- or water-cooled. • Self-contained condenser, approximately 905-lb production/24 hrs, • Stainless steel finish, medium or small cube size, EnerLogic Technology. • Shown with optional bin. | 1 | | | | |
| 4 | <p>BAIN MARIE WITH GN PAN Temperature: Hot</p> <ul style="list-style-type: none"> • Fuel: Electric • Type Of Vessel: GN Pan / Round Vessel • No. Of Vessel: 12 • Optional: Sneeze Gaurd / OHS / Wheels / Slide Tray / Plate Warmer / Under Shelf. Material: S.S Only. | 2 | | | | |
| 5 | <p>COLD SERVERY</p> <ul style="list-style-type: none"> • High grade AISI 304 stainless steel interior and exterior. with ambient or heated base models. • Base mounted bain marie • Glass display structure with 150w quartz heated lamps • Suitable for 1/1 gastronorm trays | 2 | | | | |

Signature of Tenderer with Seal

| | | | | | | |
|---|--|---|--|--|--|--|
| | <ul style="list-style-type: none"> • Under storage for holding plated meals or bulk foods. • Note: gastronorm pans not included as standard & perpex doors must be removed when in use. • Thermostatically controlled +30°C /+70°C • Fan assisted heating • Castors available as optional extra • Please note: the unit runs on a 30 amp power supply and will require hardwiring. • Size-customised | | | | | |
| 6 | <p>ERATOR</p> <p>Type of Feed: Continuous</p> <ul style="list-style-type: none"> • On/Off: Wall Switch or Air Switch • Motor: Induction, • Horsepower: 0.75 • Volts (V): 220-240 • Hertz (Hz): 50 • RPM: 1425 • Average Load: 405 W • Lubrication: Permanently lubricated lower bearings • Shipping Weight: 8.920 kg • Unit Finish: Gray Enamel • Overall Height: 32.1 cm • Grind Chamber Capacity: 1,405 mL • Motor Protection: Manual reset • Average Water Usage: 1 L per person • Average Electrical Usage: 0.5 Kilowatt-month • Dishwasher Drain Connection: Yes | 2 | | | | |
| 7 | <p>REFRIGERATOR</p> <ul style="list-style-type: none"> • Capacity 410 ltrs. • 6th Sense Door Open Alarm • Magic Light • Magifresh Crisper • Freshonizer • 30 Lts Crisper (Largest in the segment) • Designer Handle • 2 Legs / 2 Rollers • 405 L Capacity • Multi Utility Bin • Neat Fresh Refrigerator Accessory Kit • FlexiChill • Shallow Bins with Separator • Can Rack • Bottle Bin with Separator • 30:70 Freezer to Ref Ratio • Deodoriser • Toughened glass shelves • Exciting New Finishes • Electronic User Interface <p>Auto Cool Function</p> | 1 | | | | |
| 8 | <p>COOKING RANGE</p> <ul style="list-style-type: none"> • Contemporary, Sleek, Ergonomic & | 2 | | | | |

Signature of Tenderer with Seal

| | | | | | | |
|----|---|---|--|--|--|--|
| | <p>Fuel Efficient design Stainless Steel body.</p> <ul style="list-style-type: none"> • 4Brass Burners at top. • Toughened Glass at top with SS Glass Channel & Handle. • Two Level Gas Grilling Chambers. • Five level thermostatically Control led Gas Oven.Heat Resistant • Toughened Glass Doors for Grill & Oven Chambers. • Vitreous Enameled Spill Trays in Oven. | | | | | |
| 9 | <p>IN BUILT BUFFET COUNTER</p> <ul style="list-style-type: none"> • 3 sections- one for hors d'oeuvres, second for cold dessert and third for hot food • custom built. | 1 | | | | |
| 10 | <p>S.S. BOILER-</p> <p>Water supply : 14.5 l/hr</p> <ul style="list-style-type: none"> • Guarantee water temp. : 92°C±97°C • Voltage : 220-240v/50~60/hz/1ph ; • Loading: 1-1.2kw • Digital temp. display • Water conditioner included • Energy saving design w/insulation • CE approval | 2 | | | | |
| 11 | <p>MICROS SOFTWARE WITH COMPUTER FOR KOT</p> <p>Touch Screen based KOT and Billing</p> <ul style="list-style-type: none"> • User defined Menu and Modifier with Today's Special • Tag each item with photo for easy identification • Add modifiers like "Less Spicy", "No Onion" and "Make it 1 by 2" • Reorder, move table and move items • Print Manager that responds if a KOT is not printed • Secure Void function control • Analysis reports with Graphs and Pivot • Pre-defined customer discount and happy hour pricing • Know your guest's favorite food | 1 | | | | |
| 12 | <p>WATER COOLERS</p> <p>200L/h cooling from +18° C to +2° C</p> <ul style="list-style-type: none"> • Useful tank volume:100L4) with pump & water stirrer • Overflow Safety • Cooling: R404A • Electric mechanical control box • Exterior & Water tank are Stainless Steel • 200V, single phase • Water meter optional • Manual water meter & temperature • Adjustable with water cooler | 2 | | | | |
| 13 | <p>RO WATER PURIFIER</p> <p>Wall mounted design with built-in storage tank that saves space on the kitchen counter</p> <ul style="list-style-type: none"> • 8 litres of storage capacity makes the purified water available on demand even in the absence of electricity and water supply • Purification capacity of 12 liters per hour with maximum duty cycle of 75 liters per day • Fully automatic operation with auto- | 2 | | | | |

Signature of Tenderer with Seal

| | | | | | | |
|----|---|----|--|--|--|--|
| | <ul style="list-style-type: none"> start and auto-off • Triple Purification Technology (RO + UV + Nano Silver Technology) • Automatic LED Indicator for power supply, auto flushing, Tank Full & UV Indicator • Unique manual TDS adjustment • Auto Flushing enhances membrane's life by washing it with every intake of water • Multi stage Pre Filtration provided for longer life of RO system | | | | | |
| 14 | JUICE EXTRACTOR Large hopper <ul style="list-style-type: none"> • Quite motor • 1750 rpm motor • 2 size reamers supplied to suit lemons, limes, etc, Large- to suit oranges. Grapefruit . Etc. • Voltage-240 • Power(KW) – 0.2 • Height(mm) – 380 • Width(mm) – 180 • Depth(mm) – 240 | 2 | | | | |
| 15 | VEGETABLE JUICE EXTRACTOR Large hopper <ul style="list-style-type: none"> • Quite motor • Stainless steel body • Transparent lid | 2 | | | | |
| 16 | MAGNETIC INDUCTION PLATE Polished anti-corrosive Surface <ul style="list-style-type: none"> • Thermostatic Plated nickel • Electrical mechanical control box • Voltage: 220-240V/50-60 Hz/1PH,Loading:1-1.2 KW • Digital Temperature display | 12 | | | | |
| 17 | CHAFFING DISH Stainless Steel <ul style="list-style-type: none"> • Double burner • Stackable • Capacity: 8.5 litres | 10 | | | | |
| 18 | GUERIDON TROLLEY Flambé trolley,with table top recessed drawers, <ul style="list-style-type: none"> • side condiment shelf • swivel castors • Single burner • Liquor stand • Shelf for stacking crockery. | 2 | | | | |
| 19 | ROOM SERVICE TROLLEY Made of commercial board <ul style="list-style-type: none"> • Laminated top • SS frame work at bottom • Foldable top • 5 inches four wheel at bottom 2 movable, 2 lockable with space to keep hot case. | 2 | | | | |
| 20 | PASTA TROLLEY Made up of Proff commercial board with top surface of SS Sheet with long folding shelves with 2 burners. <ul style="list-style-type: none"> • Space for industrial gas cylinder. | 2 | | | | |

Signature of Tenderer with Seal

| | | | | | | |
|----|---|---|--|--|--|--|
| | <ul style="list-style-type: none"> 4 Wheels at bottom & polishing complete | | | | | |
| 21 | FONDUE TROLLEY Custom Built /Fabricated | 1 | | | | |
| 22 | BUSING TROLLEY/JACK STAND Seasoned teak wood with leather strip to hold tray | 2 | | | | |
| 23 | SNACK TROLLEY Seasoned teak wood <ul style="list-style-type: none"> Leather strip to hold tray | 2 | | | | |
| 24 | CHANNEL MUSIC/MUSIC SYSTEM <ul style="list-style-type: none"> Audio system type Output power(20-PMPO) Volume control Preset modes Surround Sound Dolby Digital DTS Decoder Extra Bass Tuner Band Remote Control Sleep Timer Number of MIC inputs Digital ECHO Karaoke volume control Number of Random Presets Double Deck Auto Reverse mode High Dubbing CD,recording MP3 Compatible with DVD/CD. | 2 | | | | |
| 25 | SOUP DISPENSER Single phase with thermostat <ul style="list-style-type: none"> Capacity 10 litres Design: Oval Black in Colour Polished finish Pitcher fitted | 2 | | | | |
| 26 | PLATE WARMER Buffet line for service <ul style="list-style-type: none"> Acrylic glass door closing automatically Stainless Steel Finish Diameter:450mm Height: 800mm Capacity: 45-60 Plates Voltage: 230V Watt:600 | 2 | | | | |
| 27 | WORKING TABLE Rigid angle Iron <ul style="list-style-type: none"> Tubular Frame Stainless Steel Finish Sliding Equipment Drawer | 6 | | | | |
| 28 | FOOD THERMOMETER Measurement range: -50 to 300°C (-58 to 572°F) <ul style="list-style-type: none"> Measuring accuracy: Display: ±0.1° -20 to 100°C (-4 to 212°F): ±1°C 100 to 200°C (212 to 392°F): ±2°C -20 to -40°C (-4 to -40°F): ±2°C 200 to 300°C (392 to 572°F) and -40 to -50°C (-40 to 50°F): ±2 to ±5°C | 2 | | | | |

Signature of Tenderer with Seal

| | | | | | | |
|----|---|----|--|--|--|--|
| | <ul style="list-style-type: none"> • LCD screen displays temperature value • Four keys operation • Holding display temperature value • °C or °F freely change • Pipeline length: 1.5m • Auto power cut-off | | | | | |
| 29 | <p>WINE TROLLEY</p> <p>Wine Trolley with 6 compartments for bottle coolers (includes bottle coolers).</p> <ul style="list-style-type: none"> • Stainless steel bottle holder ring enhances top deck. • Bottle cap and wine card compartment. • Glass rack, lower deck with bottle rack, 12 compartments. • Main structure and tops are made of plywood with reinforced edges. • Legs in beechwood. • Standard finishing rosewood color. • 18/10 stainless steel parts are mirror polish finished. • 4 swivel casters; 2 with brakes. | 1 | | | | |
| 30 | <p>WINE STAND</p> <p>Wine cooler stand pipe type stainless Steel wide base</p> | 2 | | | | |
| 31 | <p>BLENDER</p> <p>250Watt powerful motor for quick and superior results</p> <ul style="list-style-type: none"> • 2 way Twist Blades • Soft rubber push button with ergonomic handgrip | 2 | | | | |
| 32 | <p>COFFEE URNS</p> <p>100 Cup capacity</p> <ul style="list-style-type: none"> • Easy, one hand dispensing, • Fast brewing- 1 min per cup • Tall base fits large 12oz cups- • Gentle warming heater • Coffee level indicator • Ready-to-serve light • Locking lid • Cool touch handles • Brushed aluminum finish | 2 | | | | |
| 33 | <p>TEA URNS</p> <p>Polished stainless steel with welded joints</p> <ul style="list-style-type: none"> • Corrosion Resistant • Thermostat Control sensors maintaining water temperature • Safety Cut-out switch • Indicating Light • Water Gauge • Heat Proof Non-Drip tap • Lid Knobs • Lifting handles • Capacity – 10 lts • Number of cups – 40 to 50 • Heating element(amps) – 10 • Supply Voltage(VOLTS) – 220-240 • Height(mm) – 360 • Diameter(mm) – 260 • Net Weight(kg) - 3 | 2 | | | | |
| 34 | <p>SALAD STAND</p> <p>Stainless Steel / Matt Finish</p> <ul style="list-style-type: none"> • 18(CHROME) × 8(NICKEL) | 10 | | | | |

Signature of Tenderer with Seal

| | | | | | | |
|----|--|---|--|--|--|--|
| | | | | | | |
| 35 | <p>CHEESE BOARD</p> <p>A wooden two-toned oval cutting board with slide-out drawer to hold four-piece stainless steel cheese tools.</p> <ul style="list-style-type: none"> • A drawer at the base of the board pulls out to reveal four ergonomic, hollow-handled stainless steel cheese tools. • 1 stainless steel blunt-nosed hard cheese knife • 1 stainless steel cheese sharver • 1 stainless steel cheese fork • 1 stainless steel hard cheese knife/spreader • Preferably Bamboo colour • Individual Pack Demensions (inch) : 16 × 8.5 × 3.5. | 2 | | | | |
| 36 | <p>INFRA-RED LAMB</p> <p>Water proof and explosion protection</p> <ul style="list-style-type: none"> • OEM, ODM and buyers label accept • CE & RoHS approvals • Hard glass with high luminance, frosted finish • Voltage- 220 • Radiation flux- 140 • Semi Breadth- 24 to 32 • Average life 3000 hrs • Base – E 27 • Bulb type- R • Diameter - 127 | 1 | | | | |
| 37 | <p>PUNCH BOWL</p> <p>Stainless steel/ matt finish</p> <ul style="list-style-type: none"> • 18 chrome x 8 nickle | 1 | | | | |
| 38 | <p>ROLLER TOASTER</p> <p>S.S design with front mount control panel with toast selector knob</p> <ul style="list-style-type: none"> • Variable speed control knob and toast collector pan • Multiple metal sheathed heating element and impedance protectomotor • 1219 mm cord and plug • Dimension (445mm x 669mm x 418 mm) • Tray Extends 112 mm • Basket Size- 254 x 117 mm • Voltage 220 hzs 50 single phase • Cord Location Bottom right | 1 | | | | |
| 39 | <p>ICE SHAVER</p> <p>Ice Shaver (Coarse) are fabricated using high quality food grade plastics</p> <ul style="list-style-type: none"> • Extraction Capacity (kg/hr) 7 • Speed (R/min) 3000 • Wattage (W) 300 • Voltage/ Phase (V/Ph) 220~240/1 • Machine Dimension (mm) 420 x 175 x 270 • Packing Dimension (mm) 470 x 250 x 300 • Weight (kg) 10.2 | 2 | | | | |
| 40 | <p>UNDER BAR FREEZER</p> <p>Multi Temperature</p> | 1 | | | | |

Signature of Tenderer with Seal

| | | | | | | |
|----|--|---|--|--|--|--|
| | <ul style="list-style-type: none"> • Wooden Shelf - Sapele & Beach Solid Wood • Other Models - 40 & 80 Bottles • Temperature range: Lower Shelves 5~12; Upper Shelves 12~22; • Refrigerant: R134a • Climatic class: 4 • Tempered safety glass • Optional wooden shelf: Sapele & Beech solid wood • No. of Bottles as per Model Number. • Internal Light • Digital Controller with Display • Lock & Key | | | | | |
| 41 | <p>HUMIDIFIER</p> <p>Weight: 10 lbs, 24 VAC, 60 HZ and 0.75 Amps</p> <ul style="list-style-type: none"> • The Model 850 Fan Pack marries with the Aprilaire Model 800 Steam Humidifier to provide comfortable humidity levels to homes without duct work. • Quiet Operation makes the Model 850 Fan Pack practically unnoticeable • Designed to blend into a home's environment • Easy install - Recessed into a wall and connects directly to the Model 800 Steam Humidifier. • Water Hardness - 3 to 36 grain per gallon, water filtration not necessary • Supply water pressure must be between 25 psi and 120 psi • Drain water flushes with fresh inlet water • Electrical draw 11.5 amps $\pm 10\%$, use 12.7 amps when sizing circuit 208 or 240V, run two conductors plus neutral plus ground • Canister replacement once per humidifier season under normal conditions. Unit will automatically notify when canister must be replaced. | 1 | | | | |
| 42 | <p>SPEED RAIL</p> <p>Type 304 stainless steel construction for strength and corrosion resistance.</p> <ul style="list-style-type: none"> • Bottom and front rails are 20 gauge stainless steel. • Sides are 14 gauge stainless steel. • Designed with ABS sound deadening cover to soften sound. • Locking covers available and include storage hangers when ordered with original single speed rails. • Available in any length up to 84" (2134mm). | 2 | | | | |
| 43 | <p>BOSTON SHAKER</p> <p>High quality 18/10 polished stainless steel shaker.</p> <ul style="list-style-type: none"> • Glass mixer will be a welcome addition to any bar. • Glass hold 10 oz. liquid and is 16 1/2 " tall. | 2 | | | | |
| 44 | <p>ICE BUCKET</p> <p>Mirror-polished ice bucket.</p> <ul style="list-style-type: none"> • Monogram in style shown. • Made of 18/10 stainless steel with | 2 | | | | |

Signature of Tenderer with Seal

| | | | | | | |
|------------------|---|-----|--|--|--|--|
| | <ul style="list-style-type: none"> double-wall insulation. Holds 4 quarts. Includes scoop. 12"Dia. x 11"H. | | | | | |
| 45 | BAR SPOON <ul style="list-style-type: none"> Sleek, stylish and practical. Made of high quality stainless steel.8" Tall | 2 | | | | |
| 46 | ZESTER Citrus fruit zester offering two grating options <ul style="list-style-type: none"> Constructed of 18/10 stainless steel; mirror finish Ridged handle offering a comfortable, slip-free hold convenient loop provides hanging storage option Measures 1 by 1/2 by 7 inches; dishwasher-safe; lifetime warranty. | 2 | | | | |
| 47 | RIMMER PVC material, Stacked into various shapes & sizes <ul style="list-style-type: none"> Compartments for salt, Pepper & Caster Sugar. | 2 | | | | |
| 48 | AUTOMATIC POURER 2.2" long, 1.4" wide, Rubberized stopper. <ul style="list-style-type: none"> Spread arms. Push stopper onto bottle until firmly seated. lower the arms until they catch onto the larger bottle lip for an airtight seal. 3-3/4" total length, 1-5/8" long spout with hinged cover, 7/8" wide at top of cork, 5/8" wide at bottom Oil Bottle Pouring Spout | 10 | | | | |
| 49 | WINE RACK Vertical wooden board with individual compartments <ul style="list-style-type: none"> Slanting racks for stacking. | 1 | | | | |
| FURNITURE | | | | | | |
| 50 | Restaurant Chair Teak wood, upholstered, with arm rest , seat 18inch from the ground, backrest 43 inch from ground | 120 | | | | |
| 51 | Tables Base with hawk's spread out clutches, with bolt action levelling , screws. Synthetic surface. square shape, 36"x36" inches size | 10 | | | | |
| 52 | Side Board Top shelf with beading on back and sides about 48inches high from the ground, just below are felted pigeon holes, cutlery drawers, on right linen cupboard with a push back linen hamper. At the bottom shelf on left- shelves without door. Depth-1ft-1 1/2 ft.. Base with 6 wheels | 12 | | | | |
| 53 | Hostess Desk Teakwood Italian finish, 4 ft height x 11/2 ft width x 39 inches height with drawer and | 2 | | | | |

Signature of Tenderer with Seal

| | | | | | | |
|----|---|---|--|--|--|--|
| | cupboard | | | | | |
| 54 | Bar Stools Teakwood, Leather upholstered, height 27 inches from ground, semi circular in shape. | 5 | | | | |
| | | | | | | |

CUTLERY

Stainless Steel, Matt finish
Composition of stainless steel
(18×8)
18=chrome
8=nickel

| | Item Name | Qty Required | Make | Brand/ Model | Rate (Rs) | Amount |
|--|-------------------|--------------|------|--------------|-----------|--------|
| | Service Spoon | 15 doz | | | | |
| | Service Fork | 15 doz | | | | |
| | Large Knife | 15doz | | | | |
| | Large Fork | 15doz | | | | |
| | Desert Spoon | 30doz | | | | |
| | Desert Fork | 30doz | | | | |
| | Soup Spoon | 15doz | | | | |
| | Side Knife | 15doz | | | | |
| | Fish Knife | 15doz | | | | |
| | Fish Fork | 15doz | | | | |
| | Butter Dish | 2 doz | | | | |
| | Butter Spreader | 2 doz | | | | |
| | Tea Spoon | 15 doz | | | | |
| | Coffee Spoon | 15doz | | | | |
| | Salvar | 2 doz | | | | |
| | Sugar Tong | 1 doz | | | | |
| | Pastry tong | 1 doz | | | | |
| | Ice tong | 1 doz | | | | |
| | Ladles | 2 doz | | | | |
| | Salad Service set | 1 doz | | | | |
| | Sandwich Tong | 1 doz | | | | |

GLASSWARE

Thin, Bubbles Free
Uniform, Rounded rim
Unwobbling base, Line
free/scatch free, Foot straight

| Item Name | Dimension | Qty | Make | Brand/ | Rate | Amount |
|-----------|-----------|-----|------|--------|------|--------|
|-----------|-----------|-----|------|--------|------|--------|

Signature of Tenderer with Seal

| | | Required | | Model | (Rs) | |
|------------------|----------|-----------------|--|--------------|-------------|--|
| Hi- Ball | 10 oz | 30 doz | | | | |
| Water Goblet | 10 oz | 07 doz | | | | |
| Pony Tumbler | 06 oz | 04 doz | | | | |
| Red Wine | 08-10 oz | 02 doz | | | | |
| White wine | 06-07 oz | 02 doz | | | | |
| Champagne Flute | 06-07 oz | 02 doz | | | | |
| Champagne Saucer | 06-07 oz | 02 doz | | | | |
| Champagne Tulip | 06-07 oz | 02 doz | | | | |
| Sherry Copita | 04 oz | 02 doz | | | | |
| Port Wine | 06-07 oz | 02 doz | | | | |
| Old Fashioned | 10 oz | 02 doz | | | | |
| Brandy Balloons | 10-12 oz | 02 doz | | | | |
| Liqueurs | 2-3 oz | 02 doz | | | | |
| Beer Goblet | 12 oz | 02 doz | | | | |
| Beer Mug | 12 oz | 02 doz | | | | |
| Pilsner | 12 oz | 02 doz | | | | |
| Shot Glass | 02 oz | 02 doz | | | | |
| Martini | 06 oz | 02 doz | | | | |
| Tom Collin | 12 oz | 02 doz | | | | |
| Slim Gin | 10 oz | 02 doz | | | | |
| Margarita | 07 oz | 02 doz | | | | |
| Decanters | | 02 doz | | | | |

CROCKERY

Translucent, Glossy, Floral pattern light and clear, Vitrification but waxed,
Firm base on the surface, Smooth under surface

| Item Name | Dimension | Qty Required | Make | Brand/ Model | Rate (Rs) | Amount |
|-----------------------------|------------------|---------------------|-------------|---------------------|------------------|---------------|
| Full Plate | 10-12''dia | 15 doz | | | | |
| Half Plate | 8''dia | 15 doz | | | | |
| Quarter Plate | 6''dia | 30 doz | | | | |
| Soup Bowl | 250 ml | 15 doz | | | | |
| Tea Cup and Saucer | 150 ml | 12 doz | | | | |
| Platters (Fancy) | | 06 doz | | | | |
| Bowls (Fancy) | | 06 doz | | | | |
| Chinese Cruet | | 03 doz | | | | |
| Monkey Bowls | | 30 doz | | | | |
| Elongated Plates | | 03 doz | | | | |
| Bud vase | | 04 doz | | | | |
| Butter pat dish with cloche | | 04 doz | | | | |
| Salt Mill | | 04 doz | | | | |
| Pepper Mill | | 04 doz | | | | |
| Demi tasse | | 05 doz | | | | |
| Soup Plate | | 10 doz | | | | |

Signature of Tenderer with Seal

| | | | | | | |
|----------------|--|--------|--|--|--|--|
| Water Jug S.S | | 02 doz | | | | |
| Salad Bowl | | 12 no | | | | |
| Tea pot S.S | | 06 no. | | | | |
| Coffee pot S.S | | 06 no. | | | | |
| Sugar Basin | | 06 no. | | | | |
| Milk Pot | | 06 no. | | | | |
| Pastry stand | | 06 no. | | | | |

PAYMENT TERMS**TAXES/DUTIES IF ANY****DISCOUNT IF ANY**

Signature of Tenderer with Seal